



F-37

SINGLE TRACK SLAYER

When your trail riding needs elevating to the next level, the F-37 is your weapon of choice. Commonly referred to as the B-52's baby brother, the F-37 has the pace and agility to carve it up like no other.



#PITCHBLACK



#ARTIC



WEIGHT



SPEED



RANGE



RECHARGE





DIMENSION AND WEIGHT

WheelbaseOverall lengthOverall widthWeight1273 mm2021 mm800 mm49 Kg

FRAME

Type Cut and folded sheet metal 4130 CrMo

ENGINE

Type Brushless DC (Direct Drive) hub motor

Continuous Power 2000 Watt

Peak power 3700 Watt

Max torque 120Nm (approx)

ELECTRICAL BATTERY

Type Lithium ion battery 1.5 kWh
Electrical characteristics 14S 30Ah (48V)
Weight 9.0 kg
Recharge time 3 hours from 110V/240V

FAIRING

Front mudguard OPTIONAL
Rear mudguard OPTIONAL
Controller Cover OPTIONAL

FRONT SUSPENSION

Type ALX13 RC 750L (Inverted Double Crown)

37 mm

Fork diameter37 mmFork travel180 mm

REAR SUSPENSION

Type BDA35RC Rear travel (wheel) 180 mm

WHEELS

Front wheel diameter 27.5"

Rear wheel diameter 27.5"

TYRES

Front tyre 27.5×2.8 " Rear tyre 27.5×2.8 "

BRAKES

Front brake Formula Minicross 65
Front brake caliper Hydraulic 4 pistons

Front brake disk diameter 250 mm
Front brake disk thickness 3 mm

Rear brake caliperRear brake caliperFormula Minicross 65Hydraulic 4 pistons

Rear brake disk diameter250 mmRear brake disk thickness3 mmREGEN BrakingYES

PERFORMANCE

60 Km/h

60 Km (@45Km/h)



WANT TO GET IN TOUCH?

GIVE US A SHOUT!

stealthelectricbikes.com



stealthelectricbikes



stealth_bikes_hq

Phone - +61 395740257

Mail - sales@stealthelectricbikes.com